



OF THE

LSD 28

IDENTIFICATION NUMBER

Commencing 0000 U 1 FEBRUARY, 19 68,
(zone time and date)

at SOUTHERN CALIFORNIA FLEET OPERATING AREA 284,
(location)

and ending 2400 X 29 FEBRUARY, 19 68,
(zone time and date)

at 21°-14.9' NORTH, 175°-01.3' WEST
(location)

Approved by: John W. Oheim CAPT USN Commanding

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON LSD-28 ZONE DESCRIPTION 18U DATE THURSDAY 1 FEBRUARY 19 68 B
(Day) (Date) (Month)
AT/PASSAGE FROM OP AREA 2841 TO _____

POSITION	ZONE	TIME
0800 L 32-26.1N BY 243		
λ 118-01.9W BY 243		

POSITION	ZONE	TIME
1200 L 32-45.2N BY 2		
λ 117-38.7W BY 2		

POSITION	ZONE	TIME
2000 L 32-34.9N BY 2		
λ 118-20.1W BY 2		

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

08-04 STEAMING INDEPENDENTLY IN OP AREA 2841 IN ACCORDANCE WITH COMFLTRAGRU OP ORDER 5-68. BASE COURSE 090°T SPEED 5 KNOTS #1 BOILER AND #1 AND #2 SHIPS SERVICE GENERATORS ARE ON THE LINE THE PLANT SPLIT. SHIP IS NOT DARKENED. MATERIAL CONDITION YOKR AND CONDITION OF READINESS FOUR ARE SET. 0131 °/c TO 270°T

[Signature]
LT/USN

08-08 STEAMING AS BEFORE. 0800 °/c TO 090° 0505 LIGHTEN FIRES UNDER NUMBER 2 BOILER. 0610 TESTED #2 MAIN ENGINE. TEST SATISFACTORY. 0615 °/c TO 170° °/s TO 10 KNOTS. 0620 ALARM 12 SALT. 0633 NUMBERS 1, 2 & 4 SHIPS SERVICE GENERATORS ARE ON THE LINE. LOAD IS PARALLEL. 0652 °/c TO 180°. 0658 °/s TO 15 KNOTS.

[Signature]
M. L. CAMPBELL, LTJG, USN

08-12 STEAMING AS BEFORE. 0730 SET THE REPLENISHMENT DETAIL. COMMENCED PREPARATIONS FOR HIGHLINE TRANSFER FROM USS SAINT PAUL (CA 73) 0735 MANEUVERING TO TAKE STATION ASTERN USS SAINT PAUL (CA 73). 0805 ON STATION, REPLENISHMENT COURSE 045° SPEED 10 KNOTS. 0806 COMMENCED APPROACH, CAPTAIN HAS THE COMM. 0819 ON STATION ALONGSIDE STARBOARD SIDE OF USS SAINT PAUL (CA 73) 0820 RECEIVED SHOT LINE. 0831 COMMENCED RECEIVING CARGO. 0845 CARGO TRANSFER COMPLETED. 0908 COMMENCED RETURNING CARGO. 0922 CARGO TRANSFER COMPLETED. COMMENCED CLEARING LINES. 0925 ALL LINES CLEAR. MANEUVERING TO CLEAR STARBOARD SIDE OF USS SAINT PAUL (CA 73) 0928 CLEAR OF SAINT PAUL. 0929 °/s TO 15 KNOTS. 0934 HELD COLLISION DRILL. 0945 MATERIAL CONDITION ZEBRA IS SET. 0950 SECURED FROM COLLISION DRILL. 0951 SET MATERIAL CONDITION YOKR. 0958 SECURED FROM GENERAL QUARTERS 1008 SHIFTED FROM PORT MOTOR PORT CABLE CONTROL TO STARBOARD MOTOR STARBOARD CABLE CONTROL

[Signature]
LT/USN

R. HARRIS, W-1, USN

16-20 12-16 UNDERWAY AS BEFORE 1206 °/c TO 000°. 1304 °/c TO 180°. 1506 °/s TO 15 KNOTS. 1336 °/c TO 000°. 1430 °/s TO 10 KNOTS. 1446 °/c TO 165°. 1506 °/c TO 185°. 1507 °/c TO 170°. PROCEEDING FROM OP AREA 2754 TO THE SOUTHEAST CORNER OF OP AREA 2744 FOR EVENT 4022 1515 °/c TO 165°.

(CONTINUED) EXAMINED

[Signature]

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS Thomaston LSD 28

DATE Thursday 1 Feb. 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

15-16 CONTINUED.

[Signature]
LT/CSN

16-18 UNDERWAY AS BEFORE, 1603 $\frac{1}{2}$ TO 10 KNOTS $\frac{1}{2}$ TO 090°T. 1607 $\frac{1}{2}$ TO 5 KNOTS 1609 $\frac{1}{2}$ TO 000°T. 1611 $\frac{1}{2}$ TO 270°T. COMMENCED TRACKING EXERCISES WITH USS SAINT PAUL (CA-73), USS MCKEAN (DD-709) AND USS RAMSEY (DEG-2). 1627 SECURED #2 BOILER AND #4 SHIP SERVICE GENERATOR.

[Signature]
M.L. CAMPBELL, LTJG, USN

18-20 UNDERWAY AS BEFORE. 1745 $\frac{1}{2}$ TO 15.5 KNOTS. 1840 $\frac{1}{2}$ TO 275°
1845 COMMENCED ECONOMY RUN.

[Signature]
R. HARRIS, W-1, USN

20-24 UNDERWAY AS BEFORE 2003 SHIFTED FROM STARBOARD MOTOR STARBOARD CABLE TO PORT MOTOR PORT CABLE 2009 $\frac{1}{2}$ TO 270°T. 2018 $\frac{1}{2}$ TO 265°T 2031 $\frac{1}{2}$ TO 270°T. 2202 $\frac{1}{2}$ TO 090°T. 2231 ELECTRICAL FIRE REPORTED IN MAIN CONTROL, FORWARD ENGINE ROOM, LOWER LEVEL; SET GENERAL QUARTERS 2234 FIRE IN MAIN CONTROL EXTINGUISHED; SECURED FROM GENERAL QUARTERS 2235 FIRE REPORTED WAS IN #2 FIRE PUMP MOTOR; MOTOR BURNED BEYOND REPAIR AND REQUIRES REPAIR FACILITY MAINTENANCE 2323 $\frac{1}{2}$ TO 095°T. 2341 $\frac{1}{2}$ TO 090°T

[Signature]
H.A. TABB, LT, USN

EXAMINED:

[Signature]

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON LSD28 ZONE DESCRIPTION + U DATE FRIDAY 2 FEBRUARY 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM FLEET OP-AREA TO SAN DIEGO, CALIFORNIA

POSITION	ZONE	TIME
0800		
L <u>32-15N</u>	BY <u>2</u>	
λ <u>117-35W</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>32-13N</u>	BY <u>2</u>	
λ <u>117-50W</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 STEAMING INDEPENDENTLY IN FLEET OP AREA SAN DIEGO, CALIFORNIA
1AW COMELTRAGRU OP-ORDER 5-68, CONDUCTING ECONOMY RUN ON BASE
COURSE 270°, SPEED 15.2 KNOTS. NO. 1 BOILER, NO. 1 AND NO. 2 SHIPS SERVICE
GENERATORS ARE ON THE LINE, PLANT IS CROSS CONNECTED. SHIP IS NOT DARKENED,
MATERIAL CONDITION YOKE IS SET, THE SHIP IS IN CONDITION OF READINESS II.
NO GUNS ARE MANNED. WIND IS FROM 355° AT 12 KNOTS. 2341 C/C TO 090°.
2350 MR. CAMPBELL HAS THE DECK, MR. SMITH THE CONN. 0005 MR. MOONEY
HAS THE CONN. 0026 C/C TO 094°. 0031 C/C TO 090°. 0046 C/C TO 095°. 0100
C/C TO 090°. 0104 SECURED FROM ECONOMY RUN. 0117 SHIFTED CONTROL TO
AFTER STEERING ON PORT UNIT. COMMENCED AFTER STEERING DRILLS USING
VARIOUS COURSES. 0120 LIGHTED FIRES UNDER NO. 2 BOILER. 0135 LIGHTED
OFF NO. 4 GENERATOR. 0204 PLANT IS SPLIT. 0304 MR. CAMPBELL HAS
THE CONN. SHIFTED STEERING CONTROL TO PILOT HOUSE. PORT CABLE, PORT
UNIT. AFTER STEERING DRILLS COMPLETED. 0316 STEERING COURSE 090°,
C/S TO 12 KNOTS. 0323 C/C TO 075°. 0329 C/C TO 070°. 0333 C/C TO 065°.
0345 C/S TO 4 KNOTS. 0350 STATIONED THE SPECIAL SEA AND ANCHOR
DETAIL.

[Signature]
M. L. CAMPBELL, LTJG, USN

04-08 UNDERWAY AS BEFORE. 0400 C/C TO 055°, VISIBILITY CLOSED TO
2 MILES, COMMENCED SOUNDING FOG SIGNALS. 0405 C/C TO 045°. 0423
PASSED BOUY 1SD ABEAM TO PORT, STANDING INTO SAN DIEGO HARBOR. STEERING
VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM TO THE CHANNEL. 0437 PASSED BOUY
5 ABEAM TO PORT, ENTERED INLAND WATERS. 0445 VISIBILITY INCREASED TO
5 MILES, CEASED SOUNDING FOG SIGNALS. 0449 MR. TABB HAS THE CONN.
0450 PASSED POINT LOMA LIGHT ABEAM TO PORT. 0459 PASSED BALLAST
POINT ABEAM TO PORT. 0526 EMBARKED OBSERVERS FROM FLTRAGRU. 0527
STEERING VARIOUS COURSES AT VARIOUS SPEEDS STANDING OUT OF SAN DIEGO
HARBOR. 0543 PASSED BALLAST POINT ABEAM TO STARBOARD. 0551 PASSED
POINT LOMA LIGHT ABEAM TO STARBOARD. 0555 PASSED BOUY 5 ABEAM TO
STARBOARD, ENTERED INTERNATIONAL WATERS. 0615 SECURED THE SPECIAL
SEA AND ANCHOR DETAIL. 0621 C/S TO 17 KNOTS. 0645 C/C TO 220°. 0651
C/C TO 180°. 0703 C/S TO 20 KNOTS. 0711 C/C TO 170°. 0724 C/C TO
215°. 0735 C/S TO 15 KNOTS. 0745 WENT TO GENERAL QUARTERS. STEERING
VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONDUCTING GENERAL DRILLS IN OP-AREA
0724.

[Signature]
H. A. TABB, LT, USN

EXAMINED

[Signature]

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON LSD 28

DATE FRIDAY 2 FEBRUARY 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

08-12 UNDERWAY AS BEFORE. 0827 COMMENCED FIRING GUNNERY EXERCISE. 1111 COMPLETED GUNNERY EXERCISE. 5 FIRING RUNS TO STARBOARD WITH 40 ROUNDS EXPENDED, 3 FIRING RUNS TO PORT WITH 37 ROUNDS EXPENDED. 1113 SECURED FROM GENERAL QUARTERS. SET COURSE 160°, SPEED 20 KNOTS. 1126 C/CTO 280°. 1128 C/CTO 285°. 1136 STATIONED THE REPLENISHMENT DETAIL. 1142 C/CTO 12 KNOTS C/CTO 150°. 1159 THE CAPTAIN HAS THE CONN ON REPLENISHMENT COURSE 150°, SPEED 12 KNOTS.

[Signature]
H. A. TABB, LT, USN

12-16 UNDERWAY AS BEFORE. 1210 USS O'BRIEN MAKING APPROACH TO OUR STARBOARD SIDE. 1215 USS O'BRIEN ALONGSIDE TO STARBOARD, DISTANCE 140 FEET. FIRST LINE OVER. 1230 COMMENCED HIGH LIFTING WITH DUMMY LOAD. 1306 COMPLETED HIGH LIFTING 1313 ALL LINES CLEAR. USS O'BRIEN MANEUVERING AWAY FROM REPLENISHMENT STATION ALONGSIDE TO STARBOARD. 1315 C/CTO 000°, C/CTO 17 KNOTS. 1316 SECURED THE REPLENISHMENT DETAIL. 1317 C/CTO 350°. 1318 C/CTO 336°. 1330 LTUG CAMPBELL HAS THE BACK AND CONN. 1332 ENS SMITH HAS THE CONN. 1333 C/CTO 030°. 1335 C/CTO 000°. 1356 C/CTO 10 KNOTS. 1358 C/CTO 350°. 1359 C/CTO 350°. 1434 C/CTO 308°. 1445 C/CTO 15 KNOTS. 1453 C/CTO 270°. 1500 C/CTO 20 KNOTS, C/CTO 000°. 1508 C/CTO 15 KNOTS, C/CTO 045°. 1513 C/CTO 20 KNOTS. 1514 C/CTO 055°. 1536 C/CTO 065°.

[Signature]
M. L. CAMPBELL, LTUG, USN

16-20 UNDERWAY AS BEFORE. 1619 C/CTO 067°, 1633 STATIONED THE NAVIGATION DETAIL. 1643 STATIONED THE SPECIAL SEA AND ANCHOR DETAIL. 1645 STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM WITH THE CHANNEL STANDING INTO SAN DIEGO HARBOR. PASSED BOUY 150 ABEAM TO PORT. 1653 PASSED BOUY 3 ABEAM TO PORT. 1704 PASSED BOUY 5 ABEAM TO PORT ENTERED INLAND WATERS. 1707 PASSED POINT LOMA LIGHT ABEAM TO PORT. 1714 PASSED BALLAST POINT ABEAM TO PORT. 1800 YTB 764 ALONGSIDE PORT QUARTER. 1803 THE PILOT CAPTAIN SIMMING CAME ABOARD. YTB 764 CAST OFF. 1807 YTB 764 ALONGSIDE PORT BOW. 1808 YTB 701 ALONGSIDE PORT QUARTER. 1809 MANEUVERING AT VARIOUS COURSES AT VARIOUS SPEEDS STANDING INTO BERTH 51. 1826 MOORED STARBOARD SIDE TO PIER 5, BERTH 51, US NAVAL STATION SAN DIEGO, CALIFORNIA, USING STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COM FIRSTFLT EMBARKED IN USS OKLAHOMA CITY CLG 5. 1840 SECURED THE SPECIAL SEA AND ANCHOR DETAIL.

[Signature]
M. L. CAMPBELL, LTUG, USN

20-24 MOORED AS BEFORE.

[Signature]
DEBYRD, LT, USNR

EXAMINED:

[Signature]

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON LSD 28 ZONE DESCRIPTION 18U DATE SATURDAY 3 FEBRUARY 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM US NAVAL STATION SAN DIEGO TO CALIF.

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-0400 MOORED STARBOARD SIDE TO PIER 5 BERTH 51 US NAVAL STATION SAN DIEGO CALIF. WITH STANDARD MOORING LINES DOUBLED FOR AND AFT. RECEIVING FRESH WATER & TELEPHONE SERVICE FROM THE PIER. THE FORWARD & AFTER DIESEL EMERGENCY GENERATORS ARE SUPPLYING POWER & LIGHTING. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET. SOPA IS VADM H.S. MONROE COMPHIBTRAPAC. @ 0240 LIGHTED FIRES IN #2 BOILER.

E.M. Hojsack
E.M. HOJSACK EMC

04-08 Moored as before.

H. Monroe
H. MONROE USN BIC

08-12 Moored as before 0715 Set material Condition Yoke Modified. 0730 Mustered the Crew on station No additional Absentees.

J. Caldwell
J. CALDWELL USN

12-16 Moored As before.

D.T. Perdue
D.T. PERDUE MMC USN

16-20 MOORED AS BEFORE

B. C. Pippin
B.C. PIPPIN ENS, SC, USNR

20-24 MOORED AS BEFORE. 2035 HIT FIRE IN #1 BOILER. 2200 SECURED FIRES IN #2 BOILER.

B.E. Badore
B.E. BADORE MRC USN

EXAMINED

D. B. Boyd

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON (LSD-28) ZONE DESCRIPTION +84 DATE Sunday 4 February 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM Aier S, Berth S1, U.S. Naval Station, San Diego, California

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 MOORED STARBOARD SIDE TO, Aier S, BERTH S1, U.S. NAVAL STATION, SAN DIEGO, CALIFORNIA WITH STANDARD MOORING LINES DOUBLED FORE AND AFT. RECEIVING FRESH WATER AND TELEPHONE SERVICES FROM THE Aier. NUMBER ONE BOILER, AND NUMBERS ONE AND TWO SHIPS SERVICE GENERATORS ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, HARBOR, MERCHANT, AND DISTRICT CRAFT. SHIP IS IN MATERIAL CONDITION OF READINESS FOUR WITH MATERIAL CONDITION YOKE SET. SOAA IS ADM. H.S. MONROE, COMAHSBTRAAAC.

M. Ameroy
M. Ameroy, ENS, USNR.

04-08 MOORED AS BEFORE.

J. J. Caldwell
J. J. Caldwell W. USN

08-12 MOORED AS BEFORE. 0945 Set condition Yoke Modified. Mustered THE CREW ON STATION, Absentees: None

D. L. Perdue
D. L. Perdue MMC USN

12-16 MOORED AS BEFORE. 1200 LT. MICHAEL J. MARTIN, USN, REPORTED ABOARD FOR DUTY

B. C. Pippin
B. C. PIPPIN, ENS, SC, USNR

16-20 MOORED AS BEFORE.

B. E. Badore
B. E. BADORE MRC USN

20-24 MOORED AS BEFORE.

M. Ameroy
M. Ameroy, ENS, USNR.

EXAMINED

[Signature]

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON LSD-28 ZONE DESCRIPTION +8U DATE MONDAY 5 FEBRUARY 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM SAN DIEGO, CALIFORNIA TO

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L 32-46.4	BY 2	
λ 117-26.3	BY 2	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER 5 BERTH 51 US NAVAL STATION SAN DIEGO, CALIFORNIA WITH STANDARD MOORING LINES DOUBLED AND WIRE FORE AND AFT. RECEIVING TELEPHONE SERVICE AND FRESH WATER FROM PIER. SNIPS PRESENT INCLUDE VARIOUS UNITS US PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS RADM MONROE COMPHIBTRAPAC. MATERIAL CONDITION YOKE IS SET SECOND DECK AND BELOW.

J. J. Caldwell
J. J. Caldwell, WO, USN

04-08 MOORED AS BEFORE

D. Byrd
D. E. BYRD, LT, USNR

08-12 MOORED AS BEFORE, 0811 MUSTERED THE CREW AT QUARTERS NO NEW ABSENTS, 0830 SET THE SPECIAL SEA AND ANCHOR DETAIL, 0942 UNDERWAY FROM BERTH 51 PIER 5 U.S. NAVAL STATION, SAN DIEGO, CALIFORNIA, TO OP-AREA 2753 IN ACCORDANCE WITH COMNAVTRAPAC OP-ORDER 6-68. 1 AND 2 BOLLERS, 1 AND 2 MAIN ENGINES, AND 1 AND 2 GENERATORS ARE ON THE LINE. SOPA IS RADM MONROE COMPHIBTRAPAC, CONDITION YOKE IS SET. COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING OUT SAN DIEGO HARBOR. 1059 PASSED BOLL 1SD ABEAM TO STARBOARD SET COURSE 208°, SET SPEED 10 KNOTS, COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE TRANSITING DRILL MINE FIELD. 1123 SECURED THE SPECIAL SEA AND ANCHOR DETAIL, EXERCISED THE CREW AT GENERAL QUARTERS, 1128 SECURED TRANSITING DRILL MINE FIELD SET COURSE 330° SET SPEED 15 KNOTS, 1129 9/16 TO 20 KNOTS, 9/16 TO 315° 1130 SET CONDITION ZEBRA, 1132 9/16 TO 310°, 1140 COMMENCED ENGINEERING CASUALTY CONTROL DRILLS, 1150 9/16 TO 15 KNOTS, 1155 9/16 TO 320°, 1158 9/16 TO 10 KNOTS.

1158 9/16
LT USN

12-16 UNDERWAY AS BEFORE, 1200 COMPLETED ENGINEERING CASUALTY CONTROL DRILLS. 1210 SET CONDITION YOKE, 1218 SECURED FROM GENERAL QUARTERS 1300 COMMENCED STEAMING ON ALTERNATE HEADINGS OF 320° AND 140° AT 15 KNOTS IN OP-AREA 2753 WHILE CONDUCTING ENGINEERING CASUALTY CONTROL DRILLS. 1531 COMPLETED ENGINEERING CASUALTY CONTROL DRILLS, 1541 9/16 TO 180°, 1543 9/16 TO 150°, 1550 9/16 TO 20 KNOTS, 9/16 TO 180°, 1554 9/16 TO 170°, 1555 9/16 TO 160°, 1557 9/16 TO 150°.

M. L. Campbell
M. L. CAMPBELL LTJG, USN

EXAMINED

M. L. Campbell

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON (LSD-28)

DATE Monday 5 Feb 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

16-20 UNDERWAY AS BEFORE. 1608 C/L 110°. 1622 SET THE SPECIAL SEA AND ANCHORING DETAIL. THE CAPTAIN AND NAVIGATOR ARE ON THE BRIDGE, THE CAPTAIN COMMANDING. COMMENCED MANEUVERING AT VARIOUS COURSES AND SPEEDS WHILE STANDING INTO THE PORT OF SAN DIEGO. 1636 BOUY 5 IS AHEAD TO PORT, ENTERED INLAND WATERS. 1656 LAUNCHED LCVP #1 AND LCVP #3. 1658 YTM 701 IS ALONGSIDE TO STARBOARD. 1720 MOORED TO BOUYS SEVEN AND EIGHT, SAN DIEGO, CALIFORNIA WITH ANCHOR CHAIN AND SHACKLE FORWARD, AND A WIRE AFT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, MERCHANT, YARD, AND DISTRICT CRAFT. SCAPA IS COMPHISTRAPAL RADM H.S. MONROE. 1743 CAST OFF YTM 701. SECURED THE SPECIAL SEA AND ANCHORING DETAIL.

[Signature]
M.L. CAMPBELL LTJG USA

20-24 MOORED AS BEFORE

[Signature]
R.C. CROUCH MMCS

EXAMINED:

[Signature]

U. S. N. NAVIGATOR

AT/PASSAGE FROM

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

1000000000
LT/USN

~~10/10/10~~

1000000000
LT/USN

(CONTINUED)

EXAMINED

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON (LSD 28)

DATE TUESDAY 6 FEB 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

12-16 (CONTINUED) FLEET, MERCHANT, YARD AND DISTRICT CRAFT. SOPA IS
FROM MONROE, COMPHIBTRAPAC, 1454 CAST OFF VTM 704, 1518 SECURED
THE SPECIAL SEA AND ANCHORING DETAIL. 1520 PRINDLE, M.J. B527202,
EN, USN RETURNED TO THE SHIP HAVING BEEN U.A. SINCE 0600 THIS
DATE.

M. L. Campbell
M. L. CAMPBELL, LTJG, USN

16-20 MOORED AS BEFORE, 1716 SECURED FIRES UNDER NUMBER TWO(2)
BOILER.

H. A. Tabb
H. A. TABB, USN
JAMES SHE

20-24 MOORED AS BEFORE

E. M. Hotsack
E. M. HOTSACK, EMAC

EXAMINED:

[Signature]

U. S. N. NAVIGATOR

USS Thomaston (LSD-28) ZONE DESCRIPTION 18 U DATE Wednesday, 7 February 1968
(Day) (Date) (Month)
AT/PASSAGE FROM San Diego, California TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L <u>32-04.1N</u>	BY <u>2</u>	
λ <u>117-31.2</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

04-04 MOORED TO BUOYS 7 AND 8 SAN DIEGO, CALIFORNIA WITH ANCHOR CHAIN AND MOORING SHACKLES FORWARD AND WIRE AFT. NUMBER ONE BOILER AND NUMBER 1 AND 2 GENERATORS SUPPLYING SHIPS POWER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET MERCHANT DISTRICT AND VAPCRAFT. SOPA IS RADM MONROE COMPHIBTAPAC, MODIFIED CONDITION YOKE IS SET.

[Signature]
ROMERO, BTC, USN

04-08 MOORED AS BEFORE. 0602 LIGHTED FIRES UNDER NUMBER TWO BOILER. 0622 MUSTERED THE CREW ON STATION, 0715 SET THE SPECIAL SEA AND ANCHOR DETAIL.

[Signature]
LT/USN

08-12 MOORED AS BEFORE. 0806 UNDERWAY FROM MOORING BUOYS 7 AND 8 IN SAN DIEGO HARBOR ENROUTE TO OP-AREA 2753 IN ACCORDANCE WITH COMSITRAGRU OP-ORDER 6-68. CONDITION YOKE IS SET AND SOPA IS RADM MONROE COMPHIBTAPAC. COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING OUT OF SAN DIEGO HARBOR. 0835 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. SET COURSE 324° SPEED 10 KNOTS COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE TRANSITING DRILL MINE FIELD. 0902 COMPLETED TRANSITING DRILL MINE FIELD SET SPEED 15 KNOTS SET COURSE 300°. 0907 1/2 TO 310°, 0920 1/2 TO 315°, 0942 1/2 TO 320°, 1029 1/2 TO 140°, 1118 1/2 TO 353°, 1123 1/2 TO 10 KNOTS, 1128 1/2 TO 250°, 1129 1/2 TO 247°, 1/2 TO 17 KNOTS, 1135 1/2 TO 255°, 1136 1/2 TO 215°, 1143 1/2 TO 208°, 1144 1/2 TO 20 KNOTS, 1158 1/2 TO 218°, 1159 1/2 TO 228°.

[Signature]
LT/USN

12-16 UNDERWAY AS BEFORE. 1204 1/2 TO 205°, 1215 1/2 TO 180°, 1231 1/2 TO 270°, 1/2 TO 5 KNOTS, 1237 1/2 TO 10 KNOTS, 1240 1/2 TO 090°, 1245 1/2 TO 080°, 1250 1/2 TO 270°, 1258 1/2 TO 15 KNOTS, 1256 COMMENCED DAMAGE CONTROL DRILLS, 1305 1/2 TO 225°, 1324 1/2 TO 10 KNOTS, 1328 COMMENCED FIRING GUNNERY DRILL Z-2-AA WITH AIRCRAFT MAKING ALTERNATE PORT AND STBD RUNS, 1439 SECURED FROM Z-2-AA EXPENDED A TOTAL OF 216 ROUNDS (VTNF). 1501 SECURED. DAMAGE CONTROL DRILLS SET CONDITION YOKE, 1455 1/2 TO 15 KNOTS, 1/2 TO 065°, 1504 1/2 TO 20 KNOTS, 1507 SECURED FROM GENERAL QUARTERS, 1534 1/2 TO 075°, 1536 1/2 TO 080°, 1551 1/2 TO 083°.

[Signature]
LT/USN

EXAMINED

[Signature]

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON (LSD-28)

DATE WEDNESDAY, 7 FEB. 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

16-18 STEERING AS BEFORE, 1614 ϕ to $\phi 86^\circ$, 1622 SET THE SPECIAL SEA AND ANCHOR DETAIL COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING IN SAN DIEGO HARBOR, 1719 MOORED FORE AND AFT TO BUOYS 7 AND 8 SAN DIEGO HARBOR WITH ANCHOR CHAIN AND MOORING SHACKLE FORWARD, WIRE AND STANDARD MOORING LINES AFT. OTHER SHIPS PRESENT INCLUDE UNITS OF THE US PACIFIC FLEET, HARBOR AND DISTRICT CRAFT. SOPA IS RADM MONROE, COMPHIBTAPAC, 1744 SECURED THE SPECIAL SEA AND ANCHOR DETAIL,

10020333
4/USN

18-24 MOORED AS BEFORE

E.C. Smith
ENS E.C. SMITH, USNR

24-24 MOORED AS BEFORE

J. Caldwell Woush
J.T. CALDWELL, WO, USN

EXAMINED:

[Signature]

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS Thomaston (LSD 23) ZONE DESCRIPTION + 8U DATE THURSDAY 8 FEBRUARY 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM SAN DIEGO HARBOR TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L <u>32-46.4</u>	BY <u>2</u>	
λ <u>117-26.3w</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 MOORED TO BUOYS 7 & 8 SAN DIEGO CALIFORNIA WITH ANCHOR AND MOORING SHACKLES OUT FORWARD AND WIRE AFT. NO #1 BOILER AND NO #1 AND NO #2 SHIP SERVICE GENERATORS ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE PACIFIC FLEET, MERCHANT, DISTRICT AND YARD CRAFT. SOPA IS RADM H.S. MONROE COMPHIBTRAPAC MATERIAL CONDITION YOKE IS SET

D. E. Byrd

D. E. BYRD, LT, USNR

04-08 MOORED AS BEFORE. 0345 VISIBILITY REDUCED TO ONE HUNDRED YARDS. COMMENCED SOUNDING FOG SIGNALS AND STATIONED EXTRA LOOK OUTS

B. C. Pippin

B. C. PIPPIN, ENS, SC, USNR

08-12 MOORED AS BEFORE. 0835 FOG HAS DISBURSED. VISIBILITY TWO MILES CEASED SOUNDING FOG SIGNALS. 0855 SCOTT, W.H. 7730179, SN, USN; BECKLEY, J.T. 8518869, SN, USN; AND JOHNSON, L.J. 9137115, SN, USN RETURNED ABOARD HAVING BEEN AWAY SINCE 0700 THIS DATE. 0900 COMMENCED PREPARATIONS FOR GETTING UNDERWAY. 1030 LIGHTED FIRES UNDER #1 BOILER. 1130 SET THE SPECIAL SEA AND ANCHOR DETAIL.

1070000000

LT/USN

12-16 MOORED AS BEFORE. 1208 UNDERWAY FROM MOORING BUOYS 7 AND 8 SAN DIEGO TO OP AREA 2742 IN ACCORDANCE WITH COMFLTTRACRU OP-ORDER 6-68. CONDITION YOKE IS SET, NUMBER 1 AND 2 ENGINES, 1 AND 2 BOILERS AND 2 AND 4 BOILERS ARE ON THE LINE. COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING OUT SAN DIEGO HARBOR CHANNEL. 1223 EXERCISED THE CREW AT GENERAL QUARTERS. 1248 SET SPEED 10 KNOTS SET COURSE 324°, 1253 COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONDUCTING FLEET TRAINING GROUP MAIN BATTLE PROBLEM. 1433 SET CONDITION YOKE. 1435 SECURED FROM GENERAL QUARTERS, STATIONED THE SPECIAL SEA AND ANCHOR DETAIL. 1438 COMMENCED STEERING COURSES AT VARIOUS SPEEDS WHILE STANDING IN SAN DIEGO HARBOR CHANNEL. 1511 ANCHORED IN ANCHORAGE 212 SAN DIEGO HARBOR WITH 30 FATHOMS OF CHAIN TO THE PORT ANCHOR IN 50 FEET OF WATER ON A MUD BOTTOM ON THE FOLLOWING BEARINGS, NAVAL TRAINING CENTER STACK 347°, BEACON NUMBER 10-127°, SHELTER ISLAND RAMP 250.15°, SHIPS PRESENT INCLUDE UNITS OF US PACIFIC FLEET, MERCHANT, HARBOR AND DISTRICT CRAFT. SOPA IS RADM MONROE, COMPHIBTRAPAC. 1519 SECURED SPECIAL SEA AND ANCHOR DETAIL.

1060000000

LT/USN

16-20 MOORED AS BEFORE

F. D. Heatley

F. D. HEATLEY BTC USN

20-24 MOORED AS BEFORE

K. E. Barnes

K. E. BARNES, YMC, USA

EXAMINED

D. E. Byrd

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON (LSD-28) ZONE DESCRIPTION 18-U DATE FRIDAY 9 FEB 1968
(Day) (Date) (Month)
AT/PASSAGE FROM SAN DIEGO HARBOR TO _____

POSITION	ZONE	TIME
0800		
L <u>32-32.1 N</u>	BY <u>2</u>	
λ <u>117-35.2 W</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>32-20.4 N</u>	BY <u>2</u>	
λ <u>117-51.7</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

08-04 MOORED FORE AND AFT TO BUOYS 7 AND 8 SAN DIEGO HARBOR, CALIFORNIA WITH 15 FATHOMS ON DECK TO THE STARBOARD CHAIN FWD, STANDARD MOORING LINES AND WIRE AFT. BOILERS #2, GENERATORS #2 AND #4 ON THE LINE. THE SHIP IS IN CONDITION OF READINESS FIVE, MATERIAL CONDITION YOKE IS SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, COAST GUARD, MERCHANT MARINE, YARD AND DISTRICT CRAFT. SOPA IS RADOM HS. MONROE USN, COMPHOTRAPAC. 0835 AMPHIDUNE TO FIRE CONTROL RADAR 34 REPORTED OUT OF COMMISSION DUE TO OVERHEATING.

R. Harris
R. HARRIS, W-1, USN

04-08 MOORED AS BEFORE, 0446 LIGHTED FIRES UNDERNUMBER ONE BOILER, 0600 SET THE SPECIAL SEA AND ANCHOR DETAIL, 0617 UNDERMANS 1 AND 2 MAIN ENGINES, 1 AND 2 BOILERS AND 2 AND 4 GENERATORS ARE ON THE LINE. 0642 MUSTERED THE CREW ON STATION-ABSEETTES STEPHENS B. FR 9182150 UA SINCE 0730 16 JANUARY 1968; DAVIS, R.K. FIA 7730458 UA SINCE 0700 8 FEBRUARY 1968. 0648 UNDERWAY FROM MOORING BUOYS 7 AND 8 SAN DIEGO HARBOR TO LOCAL OPAREAS 2724 AND 2725 IN ACCORDANCE WITH COMFLETTAGRU OPORDER 6-68. SOPA IS RADOM MONROE COMPHOTRAPAC, COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING OUT SAN DIEGO HARBOR CHANNEL. 0714 SECURED THE SPECIAL SEA AND ANCHOR DETAIL, SET COURSE 206°(T) SET SPEED 20 KNOTS. 0718 °C TO 255°(T), 0746 °C TO 240°(T), 0757 °C TO 245°(T)

1000000000

W/USN

08-12 UNDERWAY AS BEFORE. 0802 EXERCISED THE CREW AT GENERAL QUARTERS. 0810 SET CONDITION ZEBRA, 0813 °C TO 183°(T), 0831 °C TO 240°(T), 0850 °C TO 10 KNOTS °C TO 350°(T), 0903 °C TO 5 KNOTS, 0905 °C TO 10 KNOTS, °C TO 15 KNOTS °C TO 260°(T), 0916 °C TO 20 KNOTS, 0930 °C TO 10 KNOTS, °C TO 180°(T), 0939 °C TO 5 KNOTS, 0944 COMMENCED Z-3-AA TO STBD. 0947 COMPLETED RUN TO STBD 17 ROUNDS EXPENDED VTF 3 IN AMMUNITION, 0957 COMMENCED FIRING RUN TO STBD. 0958 COMPLETED FIRING RUN TO STBD 18 ROUNDS VTF EXPENDED, 1006 SET CONDITION YOKE, 1010 COMPLETED Z-3-AA TOTAL ROUNDS EXPENDED 35 V.T.F. 1016 SECURED FROM GENERAL QUARTERS, 1034 °C TO 000°(T), 1059 RECEIVED DAILY MAGAZINE REPORTS, CONDITIONS SATISFACTORY.

1000000000

W/USN

12-16 UNDERWAY AS BEFORE. 1236 °C TO 110° 1250 RECEIVED DEAFET REPORT 16'3" FWD, 18'5" AFT. 1253 CONDITION ZEBRA SET THROUGHOUT THE SHIP. 1346 SET CONDITION YOKE THROUGHOUT THE SHIP. 1353 COMMENCED STEERING VARIOUS

(CONTINUED)

EXAMINED

D. Byrd

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON LSD-28

DATE Friday 9 Feb 1968
(Day) (Date) (Month)

12-16 (CONTINUED)

REMARKS—CONTINUED

COURSES AND SPEEDS WHILE CONDUCTING GENERAL DRILLS
1453 SECURED FROM GENERAL QUARTERS 1545 % TO 055
1536 % TO 060

R. Harris
R. HARRIS, W-1, USN

16-18 UNDERWAY AS BEFORE. 1628 SET THE SPECIAL SEA AND ANCHORING
DETAIL. 1639 BOU 5 ABEAM TO PORT. ENTERED INLAND WATERS.
COMMENCED MANEUVERING AT VARIOUS COURSES AND SPEEDS WHILE
STANDING INTO THE PORT OF SAN DIEGO, CALIFORNIA. THE CAPTAIN
AND NAVIGATOR ARE ON THE BRIDGE. THE CAPTAIN CONNING. 1730
UTM 374 IS ALONGSIDE TO PORT. HARBOR PILOT CAPTAIN SIMMING
BOARDED. 1751 MOORED STARBOARD SIDE TO BERTH 61, PIER
SIX, U.S. NAVAL STATION, SAN DIEGO, CALIFORNIA, WITH SIX
STANDARD MOORING LINES DOUBLED. SHIPS PRESENT INCLUDE
VARIOUS UNITS OF THE U.S. PACIFIC FLEET, MERCHANT, HARBOR
AND DISTRICT CRAFT. SOPA IS COMPHISTRAPAC, RADM
MONROE. 1759 THE PILOT DEPARTED THE SHIP. CAST OFF
UTM 374. SECURED THE SPECIAL SEA AND ANCHORING
DETAIL

M.L. Campbell
M.L. CAMPBELL, LTJG USN

18-20 MOORED AS BEFORE

R.C. Crouch MMCS
R.C. CROUCH MMCS

20-24 MOORED AS BEFORE.

D.B. Byrd
D.B. BYRD, LT, USNR

EXAMINED:

D.B. Byrd

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON (ASD-28) ZONE DESCRIPTION 18 H DATE SATURDAY 10 FEB 19 68
(Day) (Date) (Month)

AT/PASSAGE FROM U.S. NAVAL STATION SAN DIEGO, TO CALIFORNIA.

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 MOORED STARBOARD SIDE PIER SIX BERTH SIXTY ONE WITH STANDARD MOORING LINES DOUBLED FORWARD AND AFT WITH 1/2 INCH WIRE ROPE FORWARD AND AFT. U.S. NAVAL STATION SAN DIEGO, CALIFORNIA. BOILER NR. 1 IS ON THE LINE. RECEIVING WATER AND PHONE SERVICES FROM THE PIER. THE SHIP IS IN CONDITION OF READINESS FIVE. MATERIAL CONDITION YOEK IS SET SECOND DECK AND BELOW. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, COAST GUARD, MERCHANT MARINE, YARD AND DISTRICT CRAFT. SOPA IS RADAR HAS. MONROE USN, COMPHIBTRAPAC.

G.E. Hughes
G.E. HUGHES, RMC, USN

04-08 MOORED AS BEFORE.

W.M. Mooney Jr.
W.M. MOONEY JR., ENS, USNR

08-12 MOORED AS BEFORE. MUSTERED CREW AT QUARTERS. Absentees: RODRIGUEZ, Bill B70 48 3558, THORNTON, EDWARD Y, B81 89 52 SN, PORTER, BENJAMIN P. B81 84 65 SN, FASBENDER, GARY A 918 83 79 SN, UA AS OF 0730, 10 FEBRUARY 1968. 0830 SHIFTED FROM SHIP'S POWER TO SHORE POWER. 0730 MOYE, JOHN ALBERT, B7A B62 05 47, STRUCK HEAD ON HATCH OUTSIDE LOG ROOM ON WAY TO CHOW. DIAGNOSIS: WOUND, LACERATED, CENTER OF SCALP. DISPOSITION: WOUND CLEANSSED AND LACERATION CLOSED. INJURY NOT DUE TO MISCONDUCT RETURNED TO DUTY.

A. James Jr.
A. JAMES JR., SHCS, USN

12-16 MOORED AS BEFORE

E.C. Smith
E.C. SMITH, ENS, USNR

16-20 MOORED AS BEFORE:

N. Romero
N. ROMERO BTC USN

20-24 MOORED AS BEFORE.

E.C. Smith
E.C. SMITH, ENS, USNR

EXAMINED

O. Byrd
U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON LSD28 ZONE DESCRIPTION +8U DATE Sunday 11 February 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM U.S. NAVAL STATION SAN DIEGO TO CALIFORNIA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 MOORED Starboard side Pier six berth sixty one with standard mooring lines doubled forward and aft with 1/2 inch wire rope forward & aft. U.S. NAVAL STATION San Diego, California. Boats receiving all service from the pier. The ship is in condition of readiness five. Material condition Yoke is set second deck and below. Ships present include various units of the U.S. Pacific Fleet, Coast Guard, Merchant Marine, Yard & District Craft. SOPA RADM H.S. MONROE USN COMPHIBTRAPAC.

G.H. Fries Jr.
G.H. FRIES JR DCC USN

04-0800 MOORED AS BEFORE

E.M. Hotsack
E.M. HOTSACK

08-12 MOORED AS BEFORE, 0915 MUSTERED CREW ON STATION. ABSENTEE: Baker, KENNETH R. 1372 66 20 SN, UA OS OF 0730 10 FEBRUARY 1968.

A. James SHCS USN
A. JAMES SHCS USN

12-16 MOORED as before:

N. Romero
N. Romero BTC USN

16-20 MOORED AS BEFORE, 1700 SET CONDITION Yoke Modified

G.H. Fries Jr.
G.H. FRIES JR DCC USN

20-24 MOORED AS BEFORE:

A. James
A. JAMES, SHCS, USN

EXAMINED

[Signature]

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON LSD 28 ZONE DESCRIPTION T8U DATE MONDAY 12 FEBRUARY 19 68
(Day) (Date) (Month)

AT/PASSAGE FROM US NAVAL STATION SAN DIEGO TO CALIF

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-0400 MOORED STARBOARD SIDE PIER SIX, BERTH 61 WITH STANDARD MOORING LINES DOUBLED FORE & AFT AND 1/2 INCH WIRE ROPE FORWARD & AFT AT THE US NAVAL STATION, SAN DIEGO CALIF. RECEIVING ALL SERVICES FROM THE PIER. THE SHIP IS IN CONDITION READINESS FIVE. MATERIAL CONDITION YOKE IS SET SECOND DECK AND BELOW. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET. SOPA IS VADM. A.M. SHINN COMNAVAIRPAC 0215 PORTER BENJAMIN D. SN B81-89-65 REPORTED ON BOARD HAVING BEEN UA SINCE 0730 10 FEBRUARY 1968.

E.M. Hotsack
E.M. HOTSACK EMC

04-08 MOORED AS BEFORE. THORNTON, E.V. B81 89 52, SA RETURNED ABOARD AFTER HAVING BEEN UA SINCE 0730 10 FEBRUARY 1968. ~~0600~~ FASBENDER, GARY A. 918 8379, USN, SA RETURNED ABOARD AFTER HAVING BEEN UA SINCE 0530 9 FEBRUARY 1968.

E.C. Smith
E.C. SMITH, ENS, USNR

08-12 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. NEW ABSENTEES: DOHERTY, JAMES, 693 28 12, SM3, UA SINCE 0730 12 FEB 68. BAKER, KENNETH, B72 66 20, SA, UA SINCE 0730 10 FEB 68. RODRIGUEZ, BILL, SA, B70 48 35, UA SINCE 0730 12 FEB 68. WEEKS, JAMES, B72 66 19, SA, UA SINCE 0730 12 FEB 68.

B.O. Keeton
B.O. KEETON, SKC, USN

12-16 MOORED AS BEFORE.

R. Haeis
R. HAEIS, W-1, USN

16-20 MOORED AS BEFORE.

N.W. Schaefer
N.W. SCHAEFER, SFC

20-24 MOORED AS BEFORE

B.O. Keeton
B.O. KEETON, SKC, USN

EXAMINED

D. Byrd

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON (LSD-20) ZONE DESCRIPTION 18U DATE TUESDAY 13 FEB 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM U.S. NAVAL STATION TO SAN DIEGO, CALIF.

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER SIX, BERTH ONE, U.S. NAVAL BASE, SAN DIEGO, CALIFORNIA WITH STANDARD MOORING LINES DOUBLED, WIRE FORE AND AFT. RECEIVING ALL SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, COAST GUARD MERCHANT MARINE, YARD AND DISTRICT CRAFT. SOPA IS VADM. A.M. SHINN, USN, COMNAVAIRPAC.

R. Harris
R. HARRIS, W-1, USN

04-08. MOORED AS BEFORE.

N.W. Schaefer, SFC
N.W. SCHAEFER, SFC.

08-12 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATIONS. ABSENTEES, NONE.

M.R. Sanders, SMC
M. R. SANDERS

12-16 MOORED AS BEFORE; 1220 COMMANDING OFFICER DEPARTED ON 2 DAYS LEAVE

R.C. Crouch
R.C. CROUCH MMCS

16-20 MOORED AS BEFORE. 1645 SET MATERIAL CONDITION "YOKE" SECOND DECK AND BELOW.

M. Cameron
M. CAMERON DECS USN

20-24 MOORED AS BEFORE

G.E. Hughes
G. E. HUGHES, RMC, USN

EXAMINED

DB

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON (LSD-28) ZONE DESCRIPTION +8 U DATE WEDNESDAY ¹⁴~~13~~ FEB. 19 68⁰³
(Day) (Date) (Month)
AT/PASSAGE FROM U.S. NAVAL STATION TO SAN DIEGO, CALIF.

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER SIX, BERTH ONE, U.S. NAVAL STATION, SAN DIEGO, CALIF. WITH STANDARD MOORING LINES DOUBLED, WIRE FORE AND AFT. RECEIVING ALL SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, COAST GUARD, MERCHANT MARINE, YARD AND DISTRICT CRAFT. SOPA IS VADM. A. M. SHINN, U.S.N., COMNAVAIRPAC.

W. M. Mooney Jr.
W. M. MOONEY JR., ENS., U.S.N.R.

04-08 MOORED AS BEFORE

M. R. Sanders, SMC
M. R. SANDERS

08-12 MOORED AS BEFORE: MUSTERED THE CREW AT GUNTERS. ABSENTEES: DAVIS, RAYMOND K. FA 773, 0458 UA 0700, 8 Feb. 1968, Baker, Kenneth SA B72 66-20 UA 0730, 10 Feb. 1968, Rodriguez, BILL SA B70 48 35 UA 0730 10 Feb. 1968, Weeks, James SA B72 66 19 UA 0730, 12 Feb. 1968

N. Romero
N. ROMERO BTC USN

12-16 MOORED AS BEFORE.

M. Cameron
M. CAMERON JCCS

16-2000 MOORED AS BEFORE

E. M. Hotsack
E. M. HOTSACK EMC

20-24 MOORED AS BEFORE.

A. James
A. JAMES, SHCS, USN

EXAMINED

[Signature]

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON LSD-28 ZONE DESCRIPTION +8U DATE THURSDAY 15 FEBRUARY 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM U.S. NAVAL STATION TO SAN DIEGO, CALIFORNIA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-01 MOORED STARBOARD SIDE TO PIER SIX, BERTH SIXTY-ONE, U.S. NAVAL STATION, SAN DIEGO, CALIFORNIA, WITH STANDARD MOORING LINES DOUBLED, WIRE FORE AND AFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, COAST GUARD, MERCHANT MARINE, YARD AND DISTRICT CRAFT. SOPA IS VADM. A. M. SHINN, (P. S. N.), COMNAVTURAO.

E.C. Smith
E.C. SMITH, ENS, USNR.

01-08 MOORED AS BEFORE.

N. Romero
N. ROMERO, BTR, USNR.

08-12 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE. 1130 THE CAPTAIN RETURNED ABOARD HAVING TAKEN 2 DAYS LEAVE.

M. Aomeroy
M. AOMEROY, ENS, USNR.

12-16 MOORED AS BEFORE.

J. J. Caldwell
J. J. CALDWELL, WOUSN

16-20 MOORED AS BEFORE.

B. C. Pippin
B. C. PIPPIN, ENS, SC, USNR

20-24 MOORED AS BEFORE.

M. Aomeroy
M. AOMEROY, ENS, USNR.

EXAMINED

O. B. Boyd

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON (LSD-28) ZONE DESCRIPTION +8U DATE FRIDAY 16 FEBRUARY 1968
(Day) (Date) (Month)
AT/PASSAGE FROM SAN DIEGO, CALIFORNIA TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER 6 BERTH 61 U.S. NAVAL STATION, SAN DIEGO, CALIFORNIA WITH STANDARD MOORING LINES DOUBLED; RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET YARD AND DISTRICT CRAFT. SOPA IS UADM H.M. SHAW USN COMNAVAIR PAC. MATERIAL CONDITION YOKE IS SET SECOND DECK AND BELOW.

04-08 MOORED AS BEFORE

J. Caldwell, WOASN
J. Caldwell, WOASN
B. Pippin
B.C. PIPPIN, ENS, SC, USN

08-12 MOORED AS BEFORE. 0945 COMMENCED PUMPING GASOLINE ABOARD 1059 SET BALLAST DETAIL 1152 SECURED THE BALLAST DETAIL.

R. Harris
R. HARRIS, W-1, USN

12-16 MOORED AS BEFORE 1510 SET THE SPECIAL SEA AND ANCHOR DETAIL, 1535 SECURED PUMPING GASOLINE.

K.C. Barnes
K.C. BARNES, YNC, USN

16-20 MOORED AS BEFORE - UNDERWAY FROM PIER 6 BERTH 61 TO PIER 8 BERTH 81 U.S. NAVAL STATION, SAN DIEGO. THE SHIP HAS NO PROPULSIVE POWER AND IS USING U.S. NAVAL TUGS YTM 722, YTB 782 AND YTM 701 TO SHIFT BERTHS. 1625 MOORED PORTSIDE TO BERTH 81 PIER 8 U.S. NAVAL STATION SAN DIEGO, CALIFORNIA WITH STANDARD MOORING LINES DOUBLED. RECEIVING VARIOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE UNITS OF THE U.S. PACIFIC FLEET MERCHANT HARBOR AND DISTRICT CRAFT. SOPA IS UADM ROEDER COM FIRSTFLT PRESENTLY EMBARKED IN THE USS SAINT PAUL (CA-73). 1645 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. CONDITION YOKE IS SET SECOND DECK AND BELOW.

W. Harris
W. HARRIS, W-1, USN

20-24 MOORED AS BEFORE

R. Harris
R. HARRIS, W-1, USN

EXAMINED

[Signature]

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON (LSD 28) ZONE DESCRIPTION +8W DATE SATURDAY 17 FEBRUARY 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM U.S. NAVAL STATION TO SAN DIEGO, CALIFORNIA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 MOORED PORT SIDE TO PIER EIGHT, BERTH EIGHTY-ONE, U.S. NAVAL STATION, SAN DIEGO, CALIFORNIA WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS VADM ROEDER, COMFIRSTFLT EMBARKED IN USS SAINT PAUL (CA-73)

K.C. Barnes
KC. BARNES, YNC, USN

04-08 MOORED AS BEFORE.

B.O. Keeton
B.O. KEETON, SKC, USN

08-12 MOORED AS BEFORE 0730 MUSTERED THE CREW ON STATION.
ABSENTEES: NONE.

R.C. Crouch
RC. CROUCH MMCS

12-16 MOORED AS BEFORE

G.H. Fries Jr
G.H. FRIES JR DCC USN

16-20 MOORED AS BEFORE. 1715 SET MATERIAL CONDITION YOKE.

G.F. Hughes
G.F. HUGHES, RMC, USN

20-24 MOORED AS BEFORE.

R.C. Crouch
RC. CROUCH MMCS

EXAMINED

[Signature]

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON (LSD-28) ZONE DESCRIPTION +80 DATE SUNDAY 18 FEBRUARY 19 48
(Day) (Date) (Month)
AT/PASSAGE FROM U.S. NAVAL STATION TO SAN DIEGO, CALIFORNIA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 MOORED PORT SIDE TO PIER EIGHT, BERTH EIGHTY ONE, U.S. NAVAL STATION, SAN DIEGO, CALIFORNIA WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS VADM ROEDER, COMFIRSTFLT, EMBARKED IN USS SAINT PAUL (CA-73).

W. M. Mooney Jr.

W. M. MOONEY JR., ENS, USNR

04-08 MOORED AS BEFORE.

D. Byrd

D. E. BYRD, LT USNR

G. H. FRIES, JR., DCC, USN 115

08-12 MOORED AS BEFORE. MUSTERED ON STATION. NO NEW UNAUTHORIZED ABSENTEES.

G. E. Hughes

G. E. HUGHES, RMC, USN

12-16 MOORED AS BEFORE.

W. M. Mooney Jr.

W. M. MOONEY JR., ENS, USNR

16-20 MOORED AS BEFORE: 1910H YD-193 MOORED ALONG SIDE STARBOARD WING WALK.

R. C. Crouch

R. C. CROUCH, MMCS, USN

20-24 MOORED AS BEFORE

D. Byrd

D. E. BYRD, LT, USNR

G. H. FRIES, JR., DCC, USN 115

EXAMINED

D. Byrd

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON (LSO-28) ZONE DESCRIPTION +8W DATE MONDAY 19 FEBRUARY 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM U.S. NAVAL STATION SAN DIEGO, CALIFORNIA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 MOORED PORT SIDE TO PIER EIGHT, BERTH EIGHTY ONE, U.S. NAVAL STATION, SAN DIEGO, CALIFORNIA WITH STANDARD MOORING LINES DOUBLED. BOILER NUMBER ONE, SHIPS SERVICE GENERATOR NUMBER THREE ARE ON THE LINE FURNISHING SHIPS POWER. RECEIVING TELEPHONE SERVICE AND WATER FROM THE PIER. YARD CRANE SECURED TO AFT STARBOARD SIDE. MATERIAL CONDITION YOKE IS SET SECOND DECK AND BELOW. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT, COAST GUARD, AND MERCHANT MARINE. SOPA IS VADM ROEDER, COMFISFLT, EMBARKED IN USS ST PAUL (CA-73).

G. E. Hughes
G. E. HUGHES, RMC, USN

04-08 MOORED AS BEFORE. 0502 ANDERSON, HAROLD L., B83 88 54, SA, U.S.N., RETURNED ABOARD HAVING BEEN UA SINCE 0730, 16 FEB 68. 0604 DAVIS, RAYMOND K., 773 04 58, MMFA, U.S.N., RETURNED ABOARD HAVING BEEN UA SINCE 0700, 8 FEB 68.

W. M. Moonen Jr.
W. M. MOONEN JR., ENS., USNR

08-12 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS, ABSENTERS: JONES, WAYNE SN. B515518; DOEDEN, WAYNE SA B618007; DEAN, JOHN BM3 533 75 26; FIELDS, BILLY SA 5916819; HANSEN, ALEXANDER SN B89 42 21; DAVIDSON, MARVIN FN B30 87 74; ZUMANN, THOMAS FN B58 49 18, BEING UA AS OF 0730 THIS DATE. 1010 COMMENCED FUELING FROM (YON-91), DRAFT FORWARD 16'1", AFT 18'11".

B. E. Badore
B. E. BADORE M/3C USN

12-14 MOORED AS BEFORE. 1227 YOG 88 TIED UP ALONG ASIDE. COMMENCED LOADING OF DIESEL FUEL. 1340 SECURED LOADING OF DIESEL FUEL. 1433 YOG 88 DEPARTED SIDES 1542 HANSEN, ALEXANDER, SN, B89 42 21, RETURNED ABOARD, HAVING BEEN UA SINCE 0730 THIS DATE.

B. C. Pippin
B. C. PIPPIN ELTJG SC, USNR BCP

EXAMINED

B. C. Pippin

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON LSD 28

DATE MONDAY 19 FEBRUARY 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

16-26 MOORED AS BEFORE

M. Pomeroy
M. Pomeroy, ENCS, USNR.

20-24 MOORED AS BEFORE 2135 DAVISON, MARVIN L. B-308874
FN USN Returned on board having been U.A. Since 0730
This date. 2210 ZUMAN, Thomas B584918 FN USN Returned
ON board having been U.A. Since 0730 This date.

J. J. Caldwell
J. J. Caldwell, USNR

EXAMINED:

N. B. [Signature]

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON LSD-28 ZONE DESCRIPTION +84 DATE TUESDAY 30 FEBRUARY 1968
(Day) (Date) (Month)
AT/PASSAGE FROM US NAVAL STATION, SAN DIEGO CALIFORNIA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 MOORED PORT SIDE TO PIER EIGHT, BERTH EIGHTY ONE, US NAVAL STATION, SAN DIEGO, CALIFORNIA. WITH STANDARD MOORING LINES DOUBLED, RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. MATERIAL CONDITION YOKE IS SET. BELOW THE MAIN DECK, SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, YARD AND DISTRICT CRAFT, SOPA IS VADM ROEDER, COM FIRST FLT. EMBARKED IN USS ST PAUL (CA-73)

B.E. Badore

B.E. BADORE, MRC, USN

04-08 MOORED AS BEFORE.

B.C. Pippin

B.C. PIPPIN, LTJG, USNR

08-12 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS; ABSENTEES; BAKER, KENNETH, SA B72-66-20, UA SINCE 0730 10 FEB 1968, RODRIGUES, BILL SA B70 48 35 UA SINCE 0730 10 FEB 1968, DEAN, J BM3 533 75 36, UA SINCE 0730 19 FEB 1968 LEWIS A CSB 542 00 76 UA SINCE 0730 THIS DATE. DOEDEN W BTEN B61 80 07 UA SINCE 0730 19 FEB 1968, GHELLER J FN B80 44 75 UA SINCE 0730 THIS DATE. FIELDS, B SA 591 68 19 UA SINCE 0730 16 FEB 1968, BAKER, KENNETH R. SA B72 66 20 RETURNED TO THE SHIP AFTER BEING UA SINCE 0730 10 FEB 1968. RODRIGUES, BILL SN B70 48 35 RETURNED TO THE SHIP AFTER BEING UA SINCE 0730 10 FEB 1968.

F.D. Heatley

F.D. HEATLEY, BTC, USN

12-14 MOORED AS BEFORE 1158 LITE FIRES #2 BOILER.

B.O. Keeton

B.O. KEETON, SKC, USN

16-20 MOORED AS BEFORE

R. Harris

R. HARRIS, W-1 USN

20-24 MOORED AS BEFORE

K.C. Barnes

K.C. BARNES, YNC, USN

EXAMINED

D. Byrd

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS Honesty 450.28 ZONE DESCRIPTION +8 DATE Wednesday 21 Feb 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM U.S. Naval Station TO San Diego, Calif.

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L <u>32-46N</u>	BY <u>2+3</u>	
λ <u>118-12.7W</u>	BY <u>2+3</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04. MOORED STBD SIDE TO PIER 8 BERTH 81 U.S. NAVAL STATION
San Diego California. Using standard mooring lines. Receiving
Telephone services from the pier. #2 Boiler and 3+4 s/s Generators
out of service. Sops is Adm. Rotor. Ships Present various units of
Pacific Fleet and District Craft.

U.W. Schaefer, SEC
U.W. Schaefer, SEC

04-08 MOORED AS BEFORE. 0530 LIT FIRES UNDER NUMBER 1 BOILER.
0535 JACKED OVER NUMBER 1 MAIN ENGINE. 0550 DEAN, JOHN C, BM3,
533-75-26 RETURNED TO THE SHIP FROM BEING UA 0730 19 FEB 68.
0630 GHELLER, JOHN B, FN, B 80 4475 RETURNED TO THE SHIP FROM
BEING UA 0730 MP. 2400 19 FEB 68.

[Signature]
M.L. CAMPBELL, LT USN

08-12 MOORED AS BEFORE 0730 SET THE SPECIAL SEA AND ANCHOR
DETAIL. 0803 SINGLED UP ALL LINES. THE PILOT CAPT STEINHAUSER
CAME ABOARD. 0806 UNDERWAY FROM BERTH 81 PIER 8 U.S. NAVAL STATION
SAN DIEGO, CALIFORNIA TO ANCHORAGE CAMP DEL MAR, CALIFORNIA IN
ACCORDANCE WITH COMFISFLT 3RD QUARTER OPERATING SCHEDULE FY 1968.
THE CAPTAIN, XO, NAVIGATOR, AND PILOT ARE ON THE BRIDGE. VOICE
IS SET. SDPA IS UADM ROEDER, COMFISFLT EMBARKED IN THE U.S.S.
OKLAHOMA CITY (CG 5) 0807 COMMENCED STEERING VARIOUS COURSES AT
VARIOUS SPEEDS IN ORDER TO CONFORM TO THE CHANNEL WHILE STANDING
UA. 0817 OUT OF SAN DIEGO HARBOR. 0957 SECURED THE SPECIAL SEA AND
ANCHOR DETAIL. 0903 PASSED BUOY 15A ABEAM TO STARBOARD. ENTERED
INTERNATIONAL WATERS. 0910 TO 312° 0915 TO 317 RPM, 20 KNOTS. 0918
LT. CAMPBELL HAS THE DECK AND THE CONN. 0920 0910 TO 312°. 1000 0910
TO 312°. 1008 MR. POMEROY HAS THE CONN. 1010 0910 TO 356°.
1110 SET THE BALLASTING DETAIL. 1114 SET THE ANCHORAGE DETAIL.
1123 MR. CAMPBELL HAS THE CONN. 1124 0910 TO 359°.

[Signature]
M.L. CAMPBELL, LT USN

12-16 UNDERWAY AS BEFORE. 0915 TO 15 KNOTS. 1128 0915 TO 15 KNOTS. 1137 0910
TO 091°. 1140 0915 MANEUVERING AT VARIOUS COURSES AND SPEEDS WHILE PREPARING
TO ANCHOR. 1147 LOWERED STERN GATE. 1150 ANCHORED 900 YARDS FROM CAMP
DEL MAR, BREAKWATER LIGHT BEARING 049°, IN SIX FATHOMS OF WATER ON A

(CONTINUED)

EXAMINED

[Signature]

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON (LSD-28)

DATE WEDNESDAY 21 FEB. 19 68
(Day) (Date) (Month)

12-16 CONTINUED

REMARKS—CONTINUED

FINE GRAY SAND BOTTOM WITH 30 FATHOMS OF CHAIN TO THE PORT ANCHOR. ANCHOR BEARINGS TO BE TAKEN EVERY 15 MINUTES ON THE FOLLOWING BEARINGS; WHITE TOWER 355.2°, PIER 110°, BREAKWATER 058°. 1204 MR. HULINGS HAS THE DECK AND CONN. 1205 SECURED THE ANCHORING DETAIL. SET THE REGULAR STEAMING WATCH. 1224 COMMENCED BRINGING BOATS INTO THE WELL. 1340 PEMBERTON, JEROME A., SN, 915 78 67, RETURNED ABOARD FROM BEING AW SINCE 0700 21 FEB. 68.

J. J. Hulings
LT USN

16-18 ANCHORED AS BEFORE. 1650 COMPLETED LOADING OPERATIONS SET THE SPECIAL SEA AND ANCHOR DETAIL. 1700 UNDERWAY FROM CAMP DEL MAR ANCHORAGE IN ACCORDANCE WITH COMFLOT 3RD QTR. OPERATIONS SCHEDULE FISCAL YEAR '68; AS CTU 16.8.6 THE CAPTAIN, NAVIGATOR AND EXECUTIVE OFFICER ARE ON THE BRIDGE. 1711 SECURED THE SPECIAL SEA AND ANCHOR DETAIL SET COURSE 237° SET SPEED 10 KNOTS, 1712 °S TO 15 KNOTS, 1714 °S TO 17 KNOTS.

10020083
LT/USN

18-20 UNDERWAY AS BEFORE. 1743 SECURED GENERATOR #3. 1750 DRAFT REPORT; 18'0" FWD; 20'0" AFT, MEAN 19'0" DISPLACEMENT 12,400 TONS. 1852 °E TO 225°, 1859 °E TO 237°.

R. Harris
R. HARRIS, W-1, USN

20-24 UNDERWAY AS BEFORE. 2007 °S TO 17.5 KNOTS. 2013 °E TO 290°. 2017 °E TO 270°. 2019 °E TO 256°.

M. L. Campbell
M. L. CAMPBELL, LT USN

EXAMINED:

[Signature]

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON LSD-28 ZONE DESCRIPTION FSU DATE THURSDAY 22 FEB 19 68
(Day) (Date) (Month)

AT/PASSAGE FROM CAMP DEL MAR ANCHORAGE TO GUAM, M.I.

POSITION	ZONE	TIME
0800 L 32-01.2N	BY 244	
λ 121-54.2	BY 244	

POSITION	ZONE	TIME
1200 L 31-14 N	BY 244	
λ 123-07W	BY 244	

POSITION	ZONE	TIME
2000 L 30-57 N	BY 2	
λ 126-11W	BY 2	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 STEAMING INDEPENDENTLY AS TASK UNIT 16.8.6, ENROUTE FROM CAMP DEL MAR, CALIFORNIA, TO GUAM, M.I., IN ACCORDANCE WITH COMFIRSTFLT OPERATION SCHEDULE, THIRD QUARTER OF FISCAL YEAR 1968. BASE COURSE IS 256°T, 252° PSLC. BASE SPEED IS 17.5 KNOTS. NUMBER ONE AND TWO BOILERS AND NUMBER TWO AND FOUR GENERATORS ARE ON THE LINE. THE PLANT IS SPLIT. CONDITION OF READINESS FOUR AND MATERIAL CONDITION YOKE IS SET. THE SHIP IS NOT DARKENED. #245 KELLY, LEE ROY, LANCE CORPORAL, 2287772, U.S.M.C., B COMPANY, 5TH TANKS, 5TH MARINE DIVISION, REPORTED TO SICK BAY FOR LACERATED LEFT EYE BROW AFTER TRIPPING OVER UNKNOWN OBJECT WHILE STANDING WATCH. INJURY NOT DUE TO HIS OWN MISCONDUCT. WOUND CLEANSED, AND CLOSED WITH SIX SUTURES BY MARROQUIN, HM2, U.S.N. RETURNED TO DUTY.

D. J. O'Malley
D. J. O'Malley, LCDR USN

04-08 UNDERWAY AS BEFORE

1077733
LT/USN

08-12 UNDERWAY AS BEFORE 0736 SHIP'S WHISTLE SECURED FOR REPAIRS 0759/0254T 0800 EXERCISED THE CREW AT GENERAL QUARTERS 0811 HELD ABANDON SHIP DRILL 0831 SECURED FROM ABANDON SHIP DRILL 0833 SECURED FROM GENERAL QUARTERS

R. Harris
R. HARRIS, W-1, USN

12-16 UNDERWAY AS BEFORE. 1230 COMPLETED REPAIRS TO THE SHIP'S WHISTLE

M. L. Campbell
M. L. CAMPBELL, LT USN

16-18 UNDERWAY AS BEFORE. 1557 VISIBILITY DECREASED TO WITHIN 1/2 MILE. COMMENCED SOUNDING FOG SIGNALS. STATIONED LOOKOUT FORWARD. 1626 SET MATERIAL CONDITION YOKE

D. J. O'Malley
D. J. O'Malley, LCDR USN

18-20 UNDERWAY AS BEFORE

1077733
LT/USN

EXAMINED

[Signature]

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1540

USS ~~Friday~~ Thomaston LSD 28

DATE ~~Thursday~~ 22 Feb. 19 68
(Day) (Date) (Month)

REMARKS—CONTINUED

JO-24 UNDERWAY AS BEFORE 1958 SECURED FROM SOUNDING FOG SIGNALS
2018 SECURED NO. 1 BOILER 2240 LIGHTED FIRES IN NO. 1 BOILER

R Harris
R. HARRIS W-1 USN

EXAMINED:

[Signature]

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON (CSO-28) ZONE DESCRIPTION +9V DATE FRIDAY 23 FEBRUARY 1968
(Day) (Date) (Month)
AT/PASSAGE FROM SAN DIEGO, CALIFORNIA TO GUAM

POSITION	ZONE	TIME
0800		
L 24-44N	BY 2	
λ 136-11.4W	BY 2	

POSITION	ZONE	TIME
1200		
L 25-32.2N	BY 142	
λ 131-14	BY 142	

POSITION	ZONE	TIME
2000		
L 27-16N	BY 2	
λ 133-35W	BY 2	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 STEAMING INDEPENDENTLY AS TU 16.8.6 FROM SAN DIEGO, CALIFORNIA TO GUAM. BASE COURSE IS 254°T 248°AST60 AT 17.5 KNOTS, 185 RPM. NUMBER 1 AND 2 BOILERS AND 1 AND 4 SHIPS SERVICE GENERATORS ARE ON THE LINE. PLANT IS SALUT. SHIP IS NOT DARKENED. MATERIAL CONDITION YOKE IS SET. SHIP IS IN CONDITION OF READINESS FOUR. NO GUNS ARE MANNED. ENROUTE IN ACCORDANCE WITH COMFASCT 2A SCHEDULE, THIRD QUARTER OF FISCAL YEAR 1968. 0345 LT. CAMPBELL HAS THE DECK AND THE CONN. 0000 COMMENCED SOUNDING INTERNATIONAL FOG SIGNALS, 4 SECONDS EVERY 2 MINUTES. 0008 RANGE LIGHT IS OUT. 0157 CEASED SOUNDING FOG SIGNALS. 0307 THE AORT SHAFT TACHOMETER IS OUT. 0355 C/S TO 150 RPM - 15 KNOTS. 0337 AORT ENGINE STOP INDICATE AORT ENGINE AHEAD STANDARD. 0343 C/S TO 185 RPM - 17.5 KNOTS. TACHOMETER HAS BEEN REPAIRED.

M.L. Campbell
M.L. CAMPBELL, LT USN

04-08 UNDERWAY AS BEFORE. 0346 COMMENCED SOUNDING INTERNATIONAL FOG SIGNALS, 4 SECONDS EVERY 2 MINUTES. 0554 CEASED FOG SIGNALS. 0603 COMMENCED SOUNDING INTERNATIONAL FOG SIGNALS, 4 SECONDS EVERY 2 MINUTES. 0655 CEASED FOG SIGNALS.

D. E. Oralley
D. E. ORALLEY, LCDR USN

08-12 UNDERWAY AS BEFORE. 0800 EXERCISED THE CREW AT GENERAL QUARTERS, 0900 SECURED FROM GENERAL QUARTERS 0919 COMMENCED SOUNDING FOG SIGNALS, 1000 SECURED SOUNDING FOG SIGNALS.

M.L. Campbell
LT/USN

12-16

12-16 UNDERWAY AS BEFORE. 1147 MAGAZINE TEMPERATURE REPORT MAX 74, MIN 65. 1210 #2 COMPRESSOR BACK ON LINE.

R. Davis
R. DAVIS, W-4 USN

16-18 UNDERWAY AS BEFORE

M.L. Campbell
M.L. CAMPBELL, LT USN

18-20 UNDERWAY AS BEFORE.

D. E. Oralley
D. E. ORALLEY, LCDR USN

20-24 UNDERWAY AS BEFORE. 2003 SECURED NUMBER ONE BOILER DUE TO LOW WATER, 2034 HIT FIRES UNDER NUMBER ONE BOILER, 2115 SECURED NUMBER TWO BOILER FOR A BOTTOM BLOW, 2248

(CONTINUED)

EXAMINED

D. B. Byrd

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS Thomaston LSD 29

DATE Friday 23 Feb. 19 68
(Day) (Date) (Month)

REMARKS—CONTINUED

20-24 (CONT.) 2248 $\frac{9}{5}$ TO $15\frac{1}{2}$ KNOTS, 2307 LIT FIRES UNDER
NUMBER TWO BOILER, 2336 $\frac{9}{5}$ TO 17 KNOTS.

1000000000
LT/USN

EXAMINED:

NEB

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON LSD-28 ZONE DESCRIPTION T9V DATE SATURDAY 24 FEBRUARY 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM SAN DIEGO, CALIFORNIA TO GUAM

POSITION	ZONE	TIME
0800 L <u>28-26N</u> BY <u>1</u>		
λ <u>157-16W</u> BY <u>1</u>		

POSITION	ZONE	TIME
1200 L <u>28-01N</u> BY <u>1</u>		
λ <u>158-34.5</u> BY <u>1</u>		

POSITION	ZONE	TIME
2000 L <u>27-31N</u> BY <u>1</u>		
λ <u>140-50W</u> BY <u>1</u>		

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 STEAMING INDEPENDENTLY AS TO 16.8.6 FROM SAN DIEGO, CALIFORNIA TO GUAM. BASE COURSE IS 255°T 249°PSTGC. AT 17 KNOTS, 178 RPM'S NUMBER 1 AND 2 BOILERS AND 2 AND 3 GENERATORS ARE ON THE LINE. PLANT IS SPLIT. SHIP IS NOT DARKENED MATERIAL CONDITION YOKE IS SET. SHIP IN CONDITION OF READINESS FOUR. NO GUNS ARE MANNED. ENROUTE IN ACCORDANCE WITH COMFIRSTAT OP SCHEDULE, THIRD QUARTER OF FISCAL YEAR 1968. 2350 SHIFTED CONTROL FROM STARBOARD UNIT TO PORT UNIT.

R. Harris
R. HARRIS W-1, USN

04-08 UNDERWAY AS BEFORE. 0335 SIGHTED MERCHANT SHIP BEARING 220°, DISTANCE 5 1/2 MILES. WE ARE PASSING PORT TO PORT. 0356 RIGHT FULL RUDDER TO AVOID MERCHANTSHIP. MISSED PORT TO PORT, DISTANCE ABOUT 1600 YARDS. 0359 IDENTIFIED MERCHANT SHIP AS KONA MARU NO. 2 OF JAPAN. 0406 LT. CAMPBELL HAS THE DECK AND THE COCK. 0358 C/C TO 255°.

M. L. Campbell
M. L. CAMPBELL, LTJG

08-12 UNDERWAY AS BEFORE. 0800 WENT TO CONDITION I-A. 0805 ONE AND TWO MAIN ENGINES, ONE AND TWO BOILERS, AND TWO AND FOUR GENERATORS ARE ON THE LINE. THE PLANT IS SPLIT. 0900 SECURED FROM CONDITION I-A. SET THE REGULAR UNDERWAY WATCH. 0908 C/C TO 254°T.

D. D. O'Donoghue
D. D. O'DONOGHUE LCDR USN

12-16 UNDERWAY AS BEFORE. 1508 C/C TO 259°(H), 9C TO 264°(H), 1517 C/C TO 260°(H) 1519 C/C TO 254°(H)

L. J. O'Donoghue
L. J. O'DONOGHUE
LTJG USN

16-18 UNDERWAY AS BEFORE. 1652 SET CONDITION YOKK.

R. Harris
R. HARRIS W-1, USN

EXAMINED

R. Byrd

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON (LSD-28)

DATE SATURDAY 24 FEBRUARY 68
(Day) (Date) (Month)

REMARKS—CONTINUED

18-20 UNDERWAY AS BEFORE

M. L. Campbell
M. L. CAMPBELL, LTJG

20-24 UNDERWAY AS BEFORE. 2037 C/P TO 253°. 2207 LIT FIRES IN NUMBER ONE
BOILER. 2234 C/S TO 17 KNOTS.

D. J. O'Malley
D. J. O'MALLEY, LDR USN

EXAMINED:

D. J. O'Malley U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON (LSD-28) ZONE DESCRIPTION +9V DATE SUNDAY 25 FEBRUARY 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM SAN DIEGO, CALIF TO GUAM

POSITION	ZONE	TIME
0800		
L <u>26-41.7N</u>	BY <u>2</u>	
λ <u>144-30W</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>26-33N</u>	BY <u>102</u>	
λ <u>145-30.5W</u>	BY <u>102</u>	

POSITION	ZONE	TIME
2000		
L <u>26-04N</u>	BY <u>102</u>	
λ <u>147-53.4W</u>	BY <u>102</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 STEAMING INDEPENDENTLY AS TU 16.8.6, EN ROUTE FROM SAN DIEGO, CALIF. TO GUAM, M.I. IN ACCORDANCE WITH COMUSFLETHIRD QUARTER OPERATION SCHEDULE, FISCAL YEAR 68. BASE COURSE 253°(H), SPEED 17 KNOTS, NUMBER 1 AND 2 BOILERS, 1 AND 2 MAIN ENGINES AND NUMBER 2 AND 3 GENERATORS ARE ON THE LINE. THE ELECTRICAL PLANT IS SPLIT. MATERIAL CONDITION YOKE IS SET, CONDITION OF READINESS IV. THE SHIP IS NOT DARKENED

1000000000
LT/USN

04-08 UNDERWAY AS BEFORE

R Harris
R. HARRIS, LT, USN

08-12 UNDERWAY AS BEFORE. 0956 c/c 252°T.

M. L. Campbell
M. L. CAMPBELL, LT USN

12-16 UNDERWAY AS BEFORE.

J. Smalley
J. SMALLEY, LT USN

16-18 UNDERWAY AS BEFORE. 1700 QSTO 16.5 KNOTS

1000000000
LT/USN

18-24 UNDERWAY AS BEFORE. 1900 RETARDED ALL CLOCKS ONE HOUR TO CONFORM TO TIO W ZONE TIME. 1824 Q/S TO 15 KN.

EXAMINED

R Harris
R. HARRIS, LT, USN
U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS

THOMASTON LSD-28

DATE

SUNDAY 25 FEB 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

20-24 UNDERWAY AS BEFORE.

[Signature]

M. C. CAMPBELL, LTJG

EXAMINED:

[Signature]

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

(DAS) (M-1) (N-1) (P-1)
S/N-0105-404-1560

USS THOMASTON LSD-28 ZONE DESCRIPTION +10 W DATE MONDAY 26 FEBRUARY 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM SAN DIEGO, CALIFORNIA TO GUAM, M.I.

POSITION	ZONE	TIME
0800		
L <u>24-57.2N</u>	BY <u>1</u>	
λ <u>150-27W</u>	BY <u>1</u>	

POSITION	ZONE	TIME
1200		
L <u>24-47N</u>	BY <u>1</u>	
λ <u>151-29.5W</u>	BY <u>1</u>	

POSITION	ZONE	TIME
2000		
L <u>24-23.8N</u>	BY <u>1</u>	
λ <u>153-56W</u>	BY <u>1</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 STEAMING INDEPENDENTLY AS TASK UNIT 16.8.6, ENROUTE FROM SAN DIEGO, CALIFORNIA TO GUAM, M.I., IN ACCORDANCE WITH COMFIRSTFLT THIRD QUARTER OPERATION SCHEDULE, FISCAL YEAR 68. BASE COURSE 249°, SPEED 17 KNOTS. NUMBER ONE AND TWO BOILERS, AND NUMBER TWO AND THREE GENERATORS ARE ON THE LINE. THE ELECTRICAL PLANT IS SPLIT. CONDITION OF READINESS FOUR AND MATERIAL CONDITION VOKE SET. SHIP IS NOT DARKENED. 0103 C/S TO 15.2 KNOTS. 0105 15.5 KNOTS. 0156 C/S TO 11 KNOTS. 0157 C/C TO 265°. 0157 C/C TO 270° WHILE SECURING PIPE TRAILER IN THE WELL DECK. 0203 C/C TO 285°. 0206 C/C TO 290°. 0214 C/S TO 8 KNOTS. 0218 C/C TO 295°. 0310 C/S TO 12 KNOTS. 0315 C/S TO 13 KNOTS. 0316 C/S TO 14 KNOTS. 0318 C/S TO 16.5 KNOTS. 0328 C/C TO 245°

J. J. Malley
J. J. Malley, LCDR USN
1000000000
N/USN

04-08 UNDERWAY AS BEFORE

08-12 UNDERWAY AS BEFORE. 0814 C/C TO 254°T. 0839 C/S TO 17 KTS

R. Harris
R. HARRIS, W-1, USN

12-16 UNDERWAY AS BEFORE.

M. I. Campbell
M. I. CAMPBELL, LT USN

16-20 UNDERWAY AS BEFORE.

1000000000
LT/USN

20-24 UNDERWAY AS BEFORE. 2016 C/C TO 252°T. 2020 SECURED FIRES IN NO. 1 BOILER. 2219 LIGHTED FIRES IN NO. 1 BOILER

R. Harris
R. HARRIS, W-1, USN

EXAMINED

J. J. Malley

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON LSO-28 ZONE DESCRIPTION +10W DATE TUESDAY 27 FEBRUARY 19 68
(Day) (Date) (Month)
PASSAGE FROM SAN DIEGO, CALIFORNIA TO GUAM, M.I.

POSITION	ZONE	TIME
0800 L 23-30.5N λ 157-10.6W	BY 1	BY 1

POSITION	ZONE	TIME
1200 L 23-11.3N λ 158-18.4W	BY 1	BY 1

POSITION	ZONE	TIME
2000 L 22-19N λ 160-35W	BY 2	BY 2

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 STEAMING INDEPENDENTLY AS TASK UNIT 16.8.6, ENROUTE FROM SAN DIEGO, CALIFORNIA TO GUAM, M.I. IN ACCORDANCE WITH COMFIRSTCT THIRD QUARTER OPERATING SCHEDULE OF FISCAL YEAR 1968. BASE COURSE IS 250°, SPEED 17 KNOTS. NUMBER ONE AND TWO BOILERS, AND NUMBER TWO AND FOUR SHIPS SERVICE GENERATORS ARE ON THE LINE. THE PLANT IS SALIT, THE ELECTRICAL LOAD IS PARALLEL. SHIP IS IN CONDITION OF READINESS FOUR AND MATERIAL CONDITION CODE IS SET. THE SHIP IS NOT DARKENED 0157 SHIFTED STEERING CONTROL TO AFTER STEERING ON THE PORT UNIT. 0200 SHIFTED STEERING CONTROL TO ALCOT HOUSE ON STARBOARD UNIT.

[Signature]
M. L. CAMPBELL, LTJG

04-08 0525 UNDERWAY AS BEFORE, 0525 SECURED NUMBER TWO BOILER DUE TO HIGH SALINITY, 05 TO 15 KNOTS, 0744 06 TO 249°.

[Signature]
D. E. O'MALLEY, LCDR/USN

08-12 UNDERWAY AS BEFORE, 0800 SET CONDITION ONE AMPHIBIOUS, 0845 SECURED FROM CONDITION ONE AMPHIBIOUS, 1103 RECEIVED DAILY MAGAZINE TEMPERATURES, CONDITIONS SATISFACTORY.

[Signature]
LTJG

12-16 UNDERWAY AS BEFORE 1245 CASUALTY IN DA TANK, LOW WATER 1313 SIGHTED LAND ON RADAR, KAUAI ISLAND, BEARING 220°T, 75 MILES. 1332. LIGHTED NO. 2 BOILER 1507 06 TO 247°T

[Signature]
R. HARRIS, W-1, USN

16-18 UNDERWAY AS BEFORE.

[Signature]
M. L. CAMPBELL, LTJG

18-20 UNDERWAY AS BEFORE. 1900 RETARDED ALL SHIP'S CLOCKS ONE HOUR TO CONFORM WITH +11X ZONE TIME.

[Signature]
D. E. O'MALLEY, LCDR/USN

EXAMINED

[Signature]

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS Thomaston LSD 28

DATE Tuesday 27 Feb 1968
(Day) (Date) (Month)

REMARKS—CONTINUED

20-24 UNDERWAY AS BEFORE, 1957 C/S TO 16 KNOTS, 2000 SECURED NUMBER ONE
BOILER FOR A BOTTOM BLOW, 2018 C/S TO 16.6 KNOTS, 2113 C/S TO 16 KNOTS, 2137 C/S TO
16.6 KNOTS, 2237 NUMBER ONE BOILER IS BACK ON THE LINE C/S TO 17 KNOTS

101207Z

LT/USN

EXAMINED:

[Signature]

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON LSD-28 ZONE DESCRIPTION +11X DATE WEDNESDAY 28 FEBRUARY 19 68
(Day) (Date) (Month)
AT/PASSAGE FROM SAN DIEGO, CALIFORNIA TO GUAM

POSITION	ZONE	TIME
0800		
L 21-52.1N	BY 2	
λ 164-05.6W	BY 2	

POSITION	ZONE	TIME
1200		
L 21-51N	BY 2	
λ 165-15W	BY 2	

POSITION	ZONE	TIME
2000		
L 21-57.5N	BY 1	
λ 167-38W	BY 1	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 STEAMING INDEPENDENTLY AS TO 16.8.6 FROM SAN DIEGO, CALIFORNIA TO GUAM IN ACCORDANCE WITH COMFIRSTFLT 3RD QUARTERLY OP-SCHEDULE FISCAL YEAR 1968. BASE COURSE IS 247°T, 237° PSTBC AT 17 KNOTS, 178 RPM. NO. 1 AND NO. 2 BOILERS AND NO. 2 AND NO. 4. GENERATORS ARE ON THE LINE. PLANT IS CROSS CONNECTED. SHIP IS NOT PARKENED; MATERIAL CONDITION YOKE AND CONDITION OF READINESS TV ARE SET. NO GUNS ARE MANNED. 0022 SHIFTED FROM STARBOARD UNIT, STARBOARD CABLE TO PORT UNIT, PORT CABLE. 0122 C/C TO 272°T

R. Harris
R. HARRIS, W-1, USN

04-08 UNDERWAY AS BEFORE.

M. L. Campbell
M. L. CAMPBELL, LT USN

08-12 UNDERWAY AS BEFORE. 0805 EXERCISED AT GENERAL QUARTERS. 0814 SET MATERIAL CONDITION ZEBRA. 0858 SET MATERIAL CONDITION YOKE. 0913 SECURED FROM GENERAL QUARTERS. 0920 EMBARKED MARINES COMMENCED FIRING DRILLS ON PORT SIDE, 02 LEVEL AFT. 1045 EMBARKED MARINES COMPLETED FIRING DRILLS.

D. E. Challoy
D. E. CHALLOY, LCDR USN

12-16 UNDERWAY AS BEFORE; 1330 SECURED NUMBER TWO BOILER; 1520 C/S TO 16.6 KNOTS

1000000000
LT/USN

16-18 UNDERWAY AS BEFORE 1535 C/S TO 17 KN.

R. Harris
R. HARRIS, W-1, USN

18-20 UNDERWAY AS BEFORE. 1828 ELECTRICAL CASUALTY REPORTED IN NUMBER TWO SWITCHBOARD. 1841 ELECTRICAL LOAD FROM GENERATORS 2 AND 4 IS PARALLEL. 1847 C/S TO 170 RPM - 16.5 KNOTS - 1920 LT FIRES UNDER NUMBER ~~ONE~~ TWO BOILER. 1921 REPORTED DAMAGE ON ELECTRICAL CASUALTY IS CAPACITOR IN THE VOLTAGE REGULATOR. NO ETR GIVEN.

M. L. Campbell
M. L. CAMPBELL, LT USN

EXAMINED

D. Byrd

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON LSD-28

DATE WEDNESDAY 28 FEB, 19 68
(Day) (Date) (Month)

REMARKS—CONTINUED

20-24 UNDERWAY AS BEFORE. 2021 C/C TO 268°. 2030 C/C TO 267°. 2130 C/S TO 17 KNOTS.

DeLavalley
J. S. DeLavalley LCDR USN

EXAMINED:

[Signature]

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS THOMASTON LSD-28 ZONE DESCRIPTION +11X DATE THURSDAY 29 FEBRUARY 1968
(Day) (Date) (Month)
AT/PASSAGE FROM SAN DIEGO, CALIFORNIA TO GUAM, M.I.

POSITION	ZONE	TIME
0800		
L 21-46.0N	BY 1	
λ 171-12.7W	BY 1	

POSITION	ZONE	TIME
1200		
L 21-37N	BY 1	
λ 172-22.8W	BY 1	

POSITION	ZONE	TIME
2000		
L 21-15N	BY 1	
λ 174-49.5W	BY 1	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

08-04 STEAMING INDEPENDENTLY AS TU 16.8.6 FROM SAN DIEGO, CALIFORNIA TO GUAM, M.I. IN ACCORDANCE WITH COMFISCT 38A QUARTER OP-SCHEDULE FISCAL YEAR 1968. BASE COURSE IS 267° AT 17 KNOTS. NUMBER 1 AND 2 BOILERS, NUMBER 1 AND 2 MAIN ENGINES, AND NUMBER 3 AND 4 GENERATORS ARE ON THE LINE. PLANT IS SPLIT AND THE ELECTRICAL LOAD IS PARALLEL. THE SHIP IS NOT DARKENED. MATERIAL CONDITION VOKE AND CONDITION OF READINESS IV ARE SET. 0850 SHIFTED STEERING FROM AORT MOTOR, AORT CABLE TO STARBOARD MOTOR, STARBOARD CABLE.

H. TABS, LT, USN

04-08 UNDERWAY AS BEFORE. 0400 % TO 263°

R. Harris, W-1, USN

08-10 UNDERWAY AS BEFORE. 0743 NUMBER 3 LOW PRESSURE AIR COMPRESSOR IS OUT. ETR 1 HOUR. 0800 SET CONDITION ONE AMPHIBIOUS. 0817 MARK 4 IS OUT OF COMMISSION FOR PMS. ETR 2 DAYS. 0830 % TO 261°. 0845 SECURE FROM CONDITION ONE AMPHIBIOUS. 0905 NUMBER 2 LOW PRESSURE AIR COMPRESSOR IS BACK ON THE LINE.

M. Campbell, LT, USN

10-16 UNDERWAY AS BEFORE.

D. E. O'Malley, LCDR, USN

16-18 UNDERWAY AS BEFORE.

H. TABS, LT, USN

18-20 UNDERWAY AS BEFORE.

R. Harris, W-1, USN

EXAMINED

D. E. O'Malley

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET


S/N-0105-404-1560

USS THOMASTON CSO-28


DATE Thursday 29 February 68
(Day) (Date) (Month)

REMARKS—CONTINUED

20-24 UNDERWAY AS BEFORE 2005 C/S TO 170 RPM-16.5 KNOTS.
2010 SECURED NUMBER ONE BOILER FOR BOTTOM BLOW- 2122 C/S TO 264°.
2140 MAIN CONTROL REPORTS LOSS OF STEAM PRESSURE. MAXIMUM RPM 166.
2211. LIT FIRES UNDER NUMBER ONE BOILER. 2220 C/S TO 178 RPM-17 KNOTS.
2255 MAIN CONTROL REPORTS STEAM PRESSURE BACK TO NORMAL.


M. CAMPBELL, LT., USN.

EXAMINED:



U. S. N. NAVIGATOR